Vol.X No.10 December 1981 Second class postage paid at Dallas, Texas

Postal Identification

Publisher, Jim Cranshaw Monthly except July and August

Statement, page 2

Price $7.00 yearly Single issue $1.00

THE NEWSPAPER FOR
THE HOBBYIST OF VINTAGE
ELECTRONICS AND SOUND

THE HORN SPEAKER

100 TH
EDITION

SHORT WAVE CRAFT for APRIL, 1933

National "FB-7"

By JAMES MILLEN*



Fig. 3. Little need be said concerning this top view of the new receiver. Its compactness, symmetry of design and complete expressability are immediately apparent.



Fig. 4. One of the remarkable characteristics of the new receiver is graphically portrayed in the accompanying illustration. Here we have indicated the performance characteristics of the receiver when the "band-spread" coils for the 80 meter band are employed. It will be observed that the spread from 4,000 to 3,500 kc occupies 100 divisions on the dial, leaving an overlap of approximately 25 divisions at either end. Due to the special characteristics of the plates used on the condensers, the amateur phone band of 100 kilocycles occupies approximately half the space occupied by the 400 kilocycles in the adjacent C.W. channel.

● Nearly all of us recognize that there is an increasing demand for short-wave receivers which are highly selective and very sensitive, simple to control and comparatively reasonable in price. There has been a great deal of discussion regarding the advisability of making a combination broadcast receiver which will also perform satisfactorily on short-wave. Several extremely satisfactory receivers of this general type have been marketed and are performing a very valuable service in familiarizing the broadcast listener with the extremely interesting programs which are now available on short-waves. Then, too, several very satisfactory short-wave receivers for amateur communication purposes have been introduced and have been giving a very satisfactory account of themselves.

The combination broadcast and short-wave receivers, if they are of the high quality to which we have referred above, are also very expensive and the majority of amateur radio telephone and telegraph communications enthusiasts ("hams," as they are called among themselves) demand characteristics in a communications receiver which are not generally found in the combination type.

Before embarking upon a description of the particular characteristics of the new receiver to be described here, it may be well to clear up one point which has been causing a considerable amount of discussion among short-wave enthusiasts and engineers as well. The question has to do with the desirability of covering a great band of wavelength without the necessity of changing coils. Experience has led us to the conclusion that the most satisfactory type of receiver for short-wave use is one which employs changeable coils. We have made several receivers, in which the change from one frequency band to another has been accomplished by a switching arrangement with coils mounted directly in the receiver itself. I do not believe that any receiver can be made to function as well on all of the wavelength bands, unless it is provided with *changeable coils*. Other radio engineers who have argued against this policy have recently come around to this way of thinking and several companies, formerly engaged exclusively in the making and selling of high-grade combination receivers, are now introducing special receivers designed for short-wave operation exclusively.

Purpose of the New Receiver

In consideration of all these factors and in view of the extremely satisfactory performance which the AGS receiver is delivering in all fields of communication on short-waves, the impression grew that many of the design features incorporated in that receiver could be applied to a simpler set which would be ideal for use by the *short-wave broadcast listener*, who is particularly interested in the reception of "foreign" programs, as well as the amateur operator who, for his communication purposes, requires a far better short-wave receiver than the average and who at the same time cannot afford to avail himself of the commercial type.

General Characteristics

This new receiver carries the designation "FB-7". This designation is particularly applicable to a receiver especially suited to the needs of the amateur communication enthusiasts. FB stands for *phone band* and in the vernacular of the "ham" it also means *fine business*, which is an expression commonly employed to indicate satisfactory results.

The FB-7 is essentially a short-wave superheterodyne of the most advanced type, incorporating many of the features only to be found in the most expensive and elaborate receivers of the strictly commercial type. As may be seen from the accompanying illustration, the entire receiver is comparatively compact, while all of the component parts are completely accessible. The tuning scale is of the full vision type and is thoroughly illuminated. Tuning is accomplished by a single knob and there are no additional adjustments of any kind, other than the volume control. The tuning range of the receiver is from 15 to 200 meters or 20,000 kilocycles to 1,500 kilocycles. Five different sets of coils, with suitable overlap, are used to cover this range; they are of the regular National commercial type and plug directly into the front panel of the receiver. Provision is made for both telephone and loud speaker operation and the receiver may be operated from the regular National power supply unit or from batteries. "Hams" who desire to use this type of receiver for communication purposes sometimes find it desirable to operate from a small filament transformer and "B" batteries. This enables them to duplicate the performance of the receiver operated from the regular power supply, at slightly reduced cost.

To be more specific:

Determining upon the circuit which would most nearly meet all of the conditions required for the communication services, for which this type of receiver was designed, was the subject of a great deal of study. Another important subject was the determination of the particular types of tubes which would best function in a receiver from which so much was to be demanded. From antenna to loud speaker, we believe that the FB-7 is the satisfactory solution to a great many receiver problems. The following tubes have been selected because they seem to suit the



Fig. 1. The complete circuit diagram of the new National FB-7 Short-Wave Superheterodyne Receiver. Seven of the latest tubes are employed and the receiver is ideal for use in connection with many services as a study of the circuit will disclose. All of the heaters are connected in parallel. It will be noticed that one side of the heater circuit is grounded to prevent radiation from the beat oscillator. Other systems, commonly employed, were found inadequate.

*General Manager, National Company.

requirements admirably. The first detector is the type 57; the high frequency oscillator and the beat oscillator are of the 24 type; the two intermediate frequency amplifier tubes are 58's; the second detector is the 56 and the output tube is the type 59 pentode. A complete diagram of the circuit employed in this receiver appears in Fig. 1, but many of the important features of the receiver are not immediately obvious from a study of the diagram. A study of the various portions of the circuit and the reasons for their selection will give a very much more definite idea of the performance which may be expected for particular types of service.



Take the antenna, for instance. For suitable tuning over a wide band of frequencies, it is desirable to have an antenna circuit in which antenna tuning effects are reduced to a minimum. A large size primary coil is always desirable but in most cases its use has always been accompanied by high inductance and capacity which, in turn, have made a tuning free antenna system almost impossible. My experience in the design of short-wave receivers and the success obtained in connection with National standard plug-in coils for example, resulted in following a somewhat similar procedure in connection with the coils designed for the FB-7. The antenna primary is *interwound* with the secondary, in a manner which brings about a considerable loading effect which is constant and also permits utilizing the advantage of close coupling, without any noticeable antenna tuning effects.

Furthermore, the particular type of antenna circuit employed permits taking full advantage of the desirable features which a modern tuned doublet and suitable transposed transmission lines bring about. The use of the tuned doublet is becoming generally recognized as standard practice, where the best type of receiving engineering is involved. Interference, of the *man-made* variety, is reduced to a considerable degree by the elimination of the ordinary ground connection in the antenna circuit. It is possible to take full advantage of the benefits which the ground connection sometimes brings as a result of grounding the chassis, without the necessity of having the ground connected to the antenna system, which is permitted to function as an almost separate entity from the remainder of the receiver.

In selecting the proper tubes for the first detector, a considerable amount of time was spent in investigating the performance of the type 58 tubes. This was abandoned in favor of the 57 because it was found that, with a 24 employed as the high frequency oscillator, having its plate coupled through the comparatively small condenser (approximately 2 mmf.) to the grid of the 57 detector tube, provided an arrangement which gave a coupling which automatically increased as the coils covering higher frequency ranges were plugged in.

Stable operation of the high-frequency oscillator, resulting in an unwavering signal response, has been obtained by using the 24 tube in what is called an *electron-coupled* circuit. The other 24 tube, employed for providing the beat frequency, when the reception of continuous waves is desired, is also of the electron-coupled type. The intermediate frequency amplifier employs two type 58 tubes and standard National commercial type intermediate frequency transformers, which are of the Litzendraht, ultra high gain variety. In other respects, the intermediate amplifier is fairly conventional.



Fig. 5. Tuning Curves for FB-7, with "general coverage" coils.

off the record

Re: RESULTS OF RECENT MAIL AUCTION OF COLLECTIBLE PHONOGRAPH RECORDS.

L. R. "Les" Docks, of San Antonio, Texas, reports that supplying record collectors' wants remains a "sound business." Docks' assessment is based upon the results of his largest record auction to date, which consisted of several sections: 78 rpm hillbilly, country-western, western swing, and cajun; 78 rpm jazz, dance bands, swing, "sweet" bands, personalities and popular vocalists; 78 rpm blues, rhythm & blues, gospel and other "race" records; 78 rpm rock 'n' roll, rhythm & blues, rockabilly, and popular hits of the late 1950s (usually found in 45 rpm form); 45 rpm rock 'n' roll, rhythm & blues, blues, rockabilly, novelty. Most of the 6,000+ records offered were sold (although there are some left-overs). Intense interest was apparent in each category offered, but the highest prices, as expected, were brought by 78 rpm blues and 45 rpm rockabilly discs. Some highlights of the auction- records receiving the most spirited bidding, but not necessarily the highest prices, follow (presented by artist, label, and number)

In the 45 rpm section, rockabilly, blues, rhythm & blues, and rock 'n' roll collectors found the following most interesting: John Ashley, Dot 15775, $24.65; Phil Barclay & The Sliders, Doke 102, $58.25; Red Berry & Bel Raves, 20th Fox 169, $104.14; Big Bopper, D 1008, $22.12; Jules Blattner & Teen Tones, Bobbin 105, $33.10; Bobby Brown & The Curios, Vaden 100, $88.25; Ray Burden, Cullman 6403, $82,30; Jimmy Carroll, Fascination 2000, $24.65; Les Cole with The Echoes, D 1010, $26.00; Dick D'Agostin, Dot 15773, $40.00; Jeff Daniels, Meladee 117, $60.51; Wailin' Bill Dell, OJ 1003, $40.00; Lee Denson, Kent 306, $26.00; Billy Dev-Roe, Tampa 133, $38.25; Floyd Dixon, Aladdin 3135, $25.88; Larry Dowd, Spinning 6009, $28.00; Bill Duniven, Vaden 306, $33.16; The Five Keys, Aladdin 3113, $103.00; The Fluorescents, Hanover 4520, $25.88; The Four Tunes, RCA Victor 50-0008, $31.11; Lou Giordano, Brunswick 55115, $191.95; Rudy "Tutti" Grayzell, Starday 321, $42.00; Wayne Haas, Choice 5607, $20.00; Jimmy Haggett, Vaden 116, $15.21; Buddy Holly, Coral (Promotional Copy) 62074, $20.25; Howlin' Wolf, Chess 1528, $33.00; Elmore James, Meteor 5000, $43.51; The Jayes, Arc 4443, $23.11; Bobby Milano, Challenge 59005, $15.00; Johnny Moore with Jimmy Haggett's Band, Vaden 111, $42.99; Gene O'Quin, Capitol 1508, $16.98; The Orioles, Jubilee 5115, $36.06; J. D. Orr, Summit 105, $287.40; Royce Porter, Mercury 71314, $18.00;

(To be continued)

POSTAL IDENTIFICATION STATEMENT
The Horn Speaker (USPS 956120) is published monthly, except July and August by Jim Cranshaw, 9820 Silver Meadow Dr., Dallas, Texas 75217. Subscription rates are $7.00 per year, $12.00 two years. Second-class postage paid at Dallas, Texas. POSTMASTER: Send address changes to The Horn Speaker, P.O. Box 53012, Dallas TX 75253.

Subscribers, advertisers, photographers and writers, please use the following address;
THE HORN SPEAKER
P.O. BOX 53012
DALLAS TX 75253



Fig. 2. Front view of the new FB-7 receiver. The full vision scale is marked off in 150 divisions. The tuning calibration curve for each one of the five sets of coils is mounted on the panel. Directly below the tuning control there is the calibrated volume control, of the type which has proven so popular in measuring signal intensity. The coils plug in from the front. Phone jack is located at the lower left-hand corner of the front panel; switch in lower right-hand corner throws the beat frequency oscillator in and out of circuit.

For the second detector a 56 tube was selected because it can supply a high audio output, for the case with which the radio frequency component may be removed from the plate circuit without sacrificing high audio frequency, and its adaptability for use with headphones.

The beat frequency oscillator is of the *electron-coupled* type. The usual difficulty of a broad zero-beat region, excessive noise in the intermediate frequency circuit as well as an apparent "pulling in" of strong signals as the volume control is advanced, has been overcome by suitable shielding of the oscillator circuit. As a result of the improved shielding, there is practically no *pick-up* in the input circuits of the intermediate amplifier and first detector.

The output tube is a type 59 pentode, which is coupled to the second detector by the resistance method.

Answers to Most Questions

It is impossible to give a complete description of a receiver of this nature within the space available in a magazine article, but a preview of this receiver has resulted in the answering of a great number of questions and the answers to these questions follow. A few points which have not been brought out by the questions have to do with the selections of the materials necessary for a particular type of service or for general purpose. As a matter of convenience to those who do not require all of the coils the receiver may be purchased with a single set of coils and additional coils may be secured as the need for them arises. Then, too, the regular power supply is optional. The receiver functions very satisfactorily with a storage battery for supplying the filament current and "B" batteries. As is general in the operation of amateur receivers, it is possible to utilize the filament transformer operated directly from the light circuit and have the plate supply come from "B" batteries.

Questions and Answers on the FB-7

For what particular purpose has this new receiver been designed?

The FB-7 has been designed primarily to enable the 80 meter amateur phone operator to secure what corresponds to commercial performance from a receiver designed especially for amateur use at a price heretofore impossible.

What is the output impedance and what type of loud speaker is recommended?

The output impedance is suitable for best operation with any standard 5,000 ohm magnetic or dynamic speaker.

What is the overall frequency range?

Standard coils are available for complete coverage from 20 mc. to 1,500 kc. (15-200 meters). Five pairs of general coverage coils cover the following ranges: 11,500-20,000 kc.; 6,900-12,000 kc.; 4,050-6,900 kc.; 2,400-4,400 kc.; and 1,300-2,600 kc.

Are band spread coils available and for what bands?

Yes. For all of the amateur bands. Each set of these coils provides a spreading of the band over a full 100 divisions of the dials. These 100 divisions come right in the center of the dial scale and there are thus 25 divisions above and 25 below the actual band covered by each pair of coils.

Is this receiver suitable for C.W. reception as well as for phone?

Yes. A switch on the front of the panel controls the special beat frequency oscillator used for C.W. reception.

Is the receiver subject to frequency drift?

No. Both the oscillators are of the electron-coupled type. This completely eliminates any tuning drift common and troublesome in other short wave superheterodynes.

Are the coils shielded?

They are not only shielded but they have been designed to fit right into the apertures in the front panel in the same convenient manner as with the AGS. They are provided with aluminum face plates and convenient grips. It is not necessary to remove the coil shields, or raise the lid of the receiver in order to change the coils.

Can intermediate stages be tuned to assure peak efficiency at all times?

Yes. The trimmer adjustments are located at the top of the intermediate frequency transformers, making it unnecessary to remove the base of the receiver or go to any other complicated trouble to assure peak performance at all times. Peaking the I.F. amplifier is a very simple matter.

Is straight frequency line tuning employed?

Yes. The latest National, illuminated, full-vision dial is used in conjunction with 270 degree straight frequency line condensers. This combination spreads the band, covered by a given set of coils over 50 per cent more dial space, than would be possible with 180° condensers.

Is the receiver thoroughly shielded?

In addition to complete shielding of each of the components, in themselves, the entire receiver is contained in an all-metal cabinet. This double shielding contributes to the inherent stability of the receiver and prevent the picking up of stray interference.

Can the receiver be used with headphones?

Yes. The jack is on the front of the panel and permits ready connection of the headphones into the output of the second detector.

STOP, LOOK AND LISTEN

While Father Time Backs Up To The Year 1880

Come with Father Time for a look into the past as Thomas Alva Edison records on his newly invented talking machine. Captured for eternity are voices, music, lectures, sermons, and sounds of nature.



Thousands of old Edison cylinders and disc phonograph records dating from 1880 to the mid 1950's were made available to Tape Recorded Publications by The J. Herbert Orr Museum of Sound. From this archives of historical musical memories, Tape Recorded Publications has selected the most unique records that match the historical commentary used by the guides

as they take you through twelve one hour programs examining 75 years of recorded sound. Hear the improved quality of each process from original recordings of the day, with narrated commentary of how it was all achieved. Understanding this progression will increase your enjoyment and appreciation of the high quality stereo recordings made possible through the miracle of modern sound recordings.

The first one hour introductory cassette starts with the Edison cylinder of 1880 and ends with a sample of the last acoustical disc produced in 1923. Great men such as Presidents Coolidge, Harding, Hoover and Roosevelt, as well as many famous newscasts are featured. Outstanding artists such as Duke Ellington, Harry James, Tommy and Jimmy Dorsey, Irving Berlin, Frank Sinatra, Al Jolson, Guy Lombardo, Nat King Cole, Caruso, Fedor Chaliapin, Ernest Hare, Artie Shaw, Benny Goodman, John Phillip Sousa, Paul Whiteman and many more. Any serious music lover or recording buff would love to have this collector's series of valuable and rare recordings. Coupled with the narrated commentary of the story of recorded sound, this makes an ideal gift. Relive history ... news broadcasts, important speeches, musical memories to relive and enjoy with the WAX MUSEUM.

THE WAX MUSEUM
Tape Recorded Publications
P.O. Box 1030
Opelika, Alabama 36801

Name _____

Street _____

City & State _____

Zip _____

☐ Yes, Please send me Volume I of THE WAX MUSEUM. Enclosed please find my check for _____ @ $7.95 for _____ cassettes.

☐ Yes, I am interested in receiving Volume II and subsequent volumes of THE WAX MUSEUM, when they are available.

Horn Contour

continued *by* BRUCE C. EDGAR

SB: When did you invent the twin cone diaphragm?

VOIGT: I discovered the advantages of using a twin cone to improve the high frequencies in 1933. But it did not improve the high frequencies as much as the light coil feature later on. The twin cone idea was probably the most "borrowed" of any of my ideas. I was able to license Wharfedale and Goodmans to use my twin cone patent in their loudspeakers, and they both paid their royalties faithfully. Because the war spoiled the high quality sound business, I was granted an extension of time of the life of the patent. However patents do not go on for ever. I did not have patents in other countries. What is the position today? Well, there is not a HiFi shop inthe world which does not have a few twin diaphragm loudspeakers in stock. And for every one in stock, how many are in use? So at least if Rice and Kellogg beat me by a few weeks for the moving voice coil loudspeaker, I contributed the twin diaphragm. (Editoral note: Voigt was granted British Patent no. 413,758 for the twin diaphragm idea in 1934.)

SB: How did you develope your Light Coil Twin (cone) version of the Voigt loudspeaker unit?

VOIGT: During the latter 30's, while driving on a long trip to Scotland, my mind returned to the field strengh consequences. My main starting point then was the 1929 design of the Voigt cinema speaker for which I had accomplished 16,000 gauss (the flux density at which iron shows signs of nearing saturation) is the same as 1600 milli Teslas. If you prefer to be strictly scientific and call it 1.6 Teslas and use that value after explaining to a customer how important it is to have the highest practical field strength, he would probably conclude that you were nuts and think you were lying. And the above flux density I had accomplished with 40 Watts dc magnetising.

Now, the only "guidance" on the subject of speech coils I had come across was in an American book by Olsen[6] in which it was proven mathematically that the optimum mass for the speech coil was that which made it equal to the mass of the diaphragm.

That may have been correct relative to the assumptions on which his math was based. But my assumption was that high flux density was important. Anyway, the mass of my aluminum wire speech coil was far less than that of my twin cone diaphragm (main cone 6" diameter). So I was already "guilty" of a major deviation from established ideas.

But, if I were to use a coil weighing as much as the diaphragm, it would be possible to squeeze it into a 2mm gap. To increase the volume of the gap sufficiently for the "established" advice, the electro-magnet would would have to be increased tremendously. My 1929 design already had 8 pounds of wire on it, took 40 Watts and weighed about 30 pounds.

SB: So what hypotheses did you reach?

VOIGT: If I reduced the mass of the speech coil still more, it would cut the moving parts thereby improving the acceleration of the transients and the response of the high frequencies though at the loss of average power. Would there really be a loss, and if there were, would it matter? The possibilities either way produced food for cogitation.

SB: How did you go about redesigning your speaker with these hypotheses?

VOIGT: With a reduced mass of wire, I could reduce the speech coil from 6 layers to 4. That enabled a reduction of the gap from 2mm to 11/2mm. That reduction would push the flux density up further into the saturation region. In practice by about 2,000 gauss (about a 12% density gain).

With only 4 layers instead of 6 of the same wire guage, the resistance would go down 66%. There are two alternatives now. Change the output transformer from a secondary for 30 ohms to one for 20 ohms. Then the voltage would go down about 12% and the current would go up by about 12%. The disadvantage would be the change of a transformer. Were there other disadvantages?

With 2/3's the turns, the ampere-turns were down by 2/3's because of the reduced number of turns and up by about 12% because of the increased current, i.e. only down to 80% considering those two factors alone. But hold it. There is a third factor. With the narrower gap, the flux density will go up. But, by how much? Well, sitting at the steering wheel of a moving car, I had to guestimate. Getting into the iron saturation region, how much would the flux density in the gap go up when that gap was reduced from 2mm to 11/2mm? If the rest of the magnetic circuit was a perfect conductor of magnetism, one could expect the 25% gap reduction to give an approximate 33% increase in flux density. Suppose, since the iron was going into saturation at the pole tips, which were nowhere perfect, that 1/3rd of the above 33% increase would be available in practice, then the third factor would provide a 10% boost. 80% plus one tenth of 80% is 88%.

SB: So what were the ramifications of these guestimates?"

VOIGT: First that with a coil mass reduction to 66%, the obvious consequence was that the force would also go down to 66% of the previous value. Although this is correct, it is not final. If the reduction of mass is obtained by reduction of wire length, a change of the input transformer alone helps to counteract the situation and reduces the efficiency drop to 20%. On the good side, the reduction of the coil mass has reduced the inertia loss by 33%.

What I did not mention before is that instead of changing the transformer to suit the reduced resistance load, a change in wire guage can match the load to the existing transformer. In either case, the mass reduction makes possible a reduction of the gap width. That makes possible an increase in flux density. Just by how much is guess work until you can measure it from a live example. The limits are easily imagined but are probably fairy tales. Suppose you have a magic wand that eliminated the resistance of iron to carrying magnetic flux, then a reduction of the gap width to 3/4ths of its previous width would allow the flux density to go up to 4/3rds of its previous value. We had already a force reduction to 80% before considering the benefical effect of increased flux. The 80% relative difference, if multiplied by 4/3 is 107% compared to the original 100% taken as the force. In practice such a magic

wand does not operate in the saturation region, but it works much better at lower flux densities. The other imaginary limit is a lower one. Suppose that the iron circuit refuses to carry more flux, then there is no increase, and the above 80% figure holds good. Thus, until practical measurements are made with the real hardware, the consequence of reducing the coil mass will lie somewhere between a downward change to 80% and an upward change of 107%.

So, that cogitation showed that treble loss could be reduced and transient acceleration improved without any major reduction, and possibly even an increase in electromagnetic force.

To me the idea that, for good results the coil mass should equal that of the diaphragm might be OK when you could not "juggle" with the flux density. But in my case I could. Measurements in the lab showed by reducing the gap to 11/2mm, there was a flux density gain of about 2,000 gauss. Compared with the previous density of slightly over 16,000 gauss, that was a gain of 1 in 8.

SB: What was the result?

VOIGT: The result? I deliberately developed a LIGHT COIL TWIN variation of the Voigt loudspeaker. I knew I was deviating further from the established concept than before. And my title made it clear that I was doing something deliberately.

The practical result was that the extreme high frequencies were so much better, that for radio reception (a.m.) whistle frequency filters had to be put into the circuit to cut out the hetrodyne beat frequency between adjacent wavelength transmitters. For gramophone use, the filter could be cut out if desired, and by daytime it could be switched in when receiving the B.B.C.

My light coil twin corner horn speakers was submitted for review and received favorable reports, i. e. WIRELESS WORLD, March 9, 1939. (Editorial note: After WW II, Voigt consolidated many of his arguments for a low mass speech coil and diaphragm in British Patent no. 667,170 and U.S. Patent no. 2,615,995.)

JOIN THE THOUSANDS WHO ARE BUILDING BETTER SOUND SYSTEMS IN A NEW QUARTERLY...

SPEAKER BUILDER

ONE HALF THE CASH you spend on your audio system should be invested in your speakers, so why not build them yourself? You can save up to **two thirds of the cost of the speakers**—which translates to almost one third of your outlay for your stereo system. Over 110,000 Americans will build their own enclosures this year—and you can too! Your dream speaker is probably well within reach if you build it yourself.

SPEAKER BUILDER Magazine
P.O. Box 494A, Peterborough NH 03458 USA

6. Olson, H.F., Acoustical Engineering, D. Van Nostrand, N.Y., 1940, p 128.

© Copyright, 1981 by SPEAKER BUILDER MAGAZINE, P. O. Box 494, Peterborough, New Hampshire 03458. Used with permission.

ARS' BIG YEAR-END SALE

ARS Electronics
646 Kenilworth Terrace
Kenilworth, IL 60043

OUR AUDITOR SAYS IT'S INVENTORY TIME, SO WE HAVE TO CLEAR THE DECKS. HERE IS YOUR CHANCE TO GET SOME REAL STEALS. ALL PRICES POSTPAID IN THE US. OFFER GOOD UNTIL JANUARY 1, 1982.

RIDER MANUALS

The greatest collection ever assembled.

Volumes 6,7,8,10,13 just $9 each
Volumes 11,12,16,18,19 just $15 ea.
Index to vols. 1-4: $3, 1-6: $5
How It Works: Radio - 50¢, TV - 50¢

The Cathode Ray Tube At Work, Rider 1935, hardcover, excl. $8.

SAMS

Complete set 1-350 in 35 binders (looks just like a Riders set) - covers earlier sets. Only $175!

Incomplete set approx. 50-500 in envelopes. Good starter set. Whole series for just $90 That's about 22¢ a folder!

SUPREME PUBLICATIONS

MOST-OFTEN-NEEDED RADIO AND TV MANUALS

Most Supreme radio and TV manuals are still available at the bargain price of just $4. A few are out-of-print or have been reprinted at a higher price. Copies in original Supreme covers, permanently bound, are available at $20 each. These include:

Radio		TV	
R-2	1939	TV-1	1947
R-3	1940	TV-2	1948
R-6	1946	TV-3	1949
R-7	1947	TV-4	1950
R-9	1949	TV-6	1952
R-15	1955	TV-7	1953
R-17	1957	TV-9	1955 Early
R-18	1958	TV-11	1956
		TV-12	1957 Early
		TV-15	1959 Early
		TV-16	1959 Late

R-1 1926-38 now only $11.

SPECIAL RADIO SUPPLEMENT from December 2, 1928 San Francisco Chronicle. Ten HUGE newspaper-sized pages of old radio ads, articles, programs, etc. An ORIGINAL in excl. cond. Last one! $8

Here is a partial listing of our tube inventory. While they last, you can have ten for $9.

0A4 0C3 1S5 3B7 3D6 5R4 5U4 6AF4 6AL6 6F6
6J5 6J6 6SN7 6V6 12A6 12AT7 12AU6 12J5 12Q7
12X4 35Z5 50L6 70L7 1005 1619 1624 9006

Order Blank

NAME _____ PO or RR # _____

ADDRESS _____ Apt. # _____

CITY _____ STATE _____ ZIP _____

PHONE (Optional) (___)-_____

☐ - Please send me the next ARS Catalog. I enclose two stamps or 40¢ to cover costs.

ARS Electronics
646 Kenilworth Terrace
Kenilworth, IL 60043

HS

OPERATING NOTES

ANALYSES of RADIO RECEIVER SYMPTOMS

Airline 07B, 32 Volt Farm Receiver. A scratching noise has been traced to the push-pull input transformer in several of these sets. Replacement is the only cure, for the noise is caused by electrolysis within the primary winding.

LEO E. BAER

Stewart-Warner R-120. The complaint was that this set had a steady whine and that it did not pick up short-wave reception. See Fig. 1A. Condenser No. 83216 (0.02-mf. 1,000 V.) open, caused the whine. A new 56 cleared up the short-wave reception.

Atwater Kent 812. The complaint was that the set smoked. This set uses 2 type 83 rectifiers and 2 power transformers. See Fig. 1B. Evidently this set had had a blown fuse, for some one had put a 20-A. auto fuse in place of a 3-ampere fuse. (This caused the power transformer to overheat. In this set there are 2 sets of buffer condensers mounted in one container. One of the buffer condensers was shorted out. This caused the 3-A. fuse to blow.) Replaced the blown buffer with 0.1-mf., 600 V. unit and replaced a 20-A. fuse with one having a 3-A. rating, which cleared up the trouble.

C. A. DAVIS

Philco 1937—620, 630, 640, 650, 9X. These models all have been serviced for one complaint, common to all—that of intermittent reception, wherein the volume level falls sharply, accompanied by resonance hiss. Where a shadowgraph is employed, the indication will widen. In some cases, the condition is not intermittent.

By connecting the aerial to the control-grid of the 6A8 or 6L7 (whichever tube may be employed as the 1st-detector), or placing a finger upon the control-grid, volume level becomes nearly normal and the resonance hiss clears up to a great extent. This procedure would, quite naturally, indicate the trouble to lie within the R.F. stage, and such is the case. However, a volt-ohmmeter or analyzer will not point to the difficulty, which is a snapped lead, from the stator lug of the R.F. section of the gang condenser to a lug on the wave-band switch, at the wave-band switch lug. It is quite unnecessary to remove the assembly to resolder this lead if the soldering tip is only 3/8-in. in dia. and at least 2 ins. or slightly less in length. The complaint of hum, which is still present with the rectifier tube removed from its socket may often be remedied by tightening the assembly and mounting bolts and nuts of the power transformer; otherwise, replacement of the transformer becomes necessary.

Philco 1936 Receiver Volume Controls. A constant source of trouble with almost all 1936 Philco receivers has been noisy and intermittent operation of the volume controls. In the majority of cases, replacement has been unnecessary. A light steel wire wound once around the shaft (and the ends twisted) between the soft "U" washer and bushing on the shaft, to remove the end play, has proven very effective and satisfactory. To complete the repair, place a drop of oil upon these parts to prevent excessive wear of the steel wire, washer or bushing.

RCA Victor 28-P. When the complaint of intermittent reception is received, wherein the volume level suddenly decreases sharply and returns abruptly after some interval of operation, check the detector secondary-return bypass condenser for an open-circuiting condition. Unlike many similar failures, striking the condenser seldom discloses any defects, although switching the receiver on and off quickly will bring up the volume level. In some instances, the switching of a room light off or on will produce the same effect. The open-circuiting of the R.F. cathode bypass condenser has been found to cause the same trouble although the decrease in volume is not as great as that experienced when the detector (2nd) secondary-return bypass condenser open-circuits.

Upon the appearance of oscillation and strong motorboating, most likely the second section of the dual dry electrolytic filter block is at fault because of a loss in capacity. The block may either be replaced or the defective section disconnected and an external condenser substituted.

BERTRAM M. FREED

Crosley Model 102. Inoperative due to 0.01-mf. condenser which is connected across secondary winding of power transformer, becoming shorted. See Fig. 1C. Replace with a 600-V. unit. Access to this condenser may be had by removing end plate opposite control side.

Another cause for no reception may be due to the metal cover touching the terminal of the lead from the grid of the 1.F. tube. This terminal is attached to the frame but is insulated from same by means of a mica strip. When the cover is removed, the receiver will operate under this condition. Terminal may be bent to position to clear cover. Care must be used in removing the cover of this set, as the loud speaker is mounted on the cover, and connecting leads are short, thus allowing leads to be easily torn from terminals.

Intermittent reception on this model has been found to be caused by breaking of the flexible lead from the R.F. transformer to the gang condenser at the point where a soldered connection is made to the condenser, as the gang condenser is mounted on rubber and is permitted some movement.

Detrola, Warwick Model. Inoperative over part of broadcast band. This condition has been remedied by replacing the voltage-dropping resistor for the screen-grid of the type 57 detector-oscillator tube, with one of lower value. The original resistor is 50,000 ohms and may be replaced with one of 40,000 ohms.

Columbia Radio Corporation, Model SG-9. Lack of reception is often found to be due to an open 1,500-ohm section of candohm resistor; this is marked X, in Fig. 1D. A condition reported as "weak and distorted" was found to be due to a leaky condenser, connected from screen-grid of the 4th type 24 R.F. tube to the common cathode-return lead. This is condenser A on the diagram. This condenser and condenser B are connected inside the condenser can as shown in the illustration.

HOWARD J. SURREY

International "Kadette" 4-Tube Set. Out of 11 service jobs on the 4-tube Kadette receiver, 10 of the sets called for the replacement of the double 5-mf. electrolytic condenser used as a bypass across the cathode resistors of the types 36 and 38 tube. The life of this very compact condenser is somewhat shortened by the heat produced in the filament series resistor located beneath the chassis at the back. It is an excellent idea to cut out this resistor and replace with the conventional line-cord resistor made for 4-tube sets. A wiring diagram of this set appeared in the February 1933 issue of *Radio-Craft*.

E. L. DEETER

Philco 84. We had a Philco 84 in the shop. The complaint was "intermittent reception." I turned the set on and checked everything that was suspected. Everything tested "normal," including the voltages. Then the set popped on and played the rest of the day, but the next morning it would not play. After having been turned on about 30 mins. without results, it suddenly popped on and played all day satisfactorily. This kept up for 2 or 3 days. Then I got out my diagram and started using a little theory. From the cathode of the detector-oscillator tube there is a 6000-ohm resistor connected through the primary of the oscillator coil to ground. (See Fig. 1E.) I replaced this resistor with a 4000-ohm unit and this cured the trouble completely. The value 6000 ohms of this resistor was too high and was causing the tube to block.

JAMES W. TAYLOR



RADIO-CRAFT for SEPTEMBER, 1937





Fig. 1. Circuit details discussed.





letters

Dear Mr. Cranshaw:

I am interested in obtaining information about the value and possible disposal of a radio collection. Your address was obtained from "Vintage Radio."

At pesent I am referring to an assortment of radio tubes, test equipment and Hallicrafter receivers, whose model numbers I realize would be necessary for your further understanding. Also there are several car radios from the 40's and 50's which collectors might desire.

I would greatly appreciate your help in this matter.

Very truly yours,
Joanne H. McDonald
650 North Wade Ave.
Washington, PA 15301

RADIO WEST presents

PHOTOS of your favorite RADIO STARS

These 8"x10" glossy prints are reasonably priced at $3.00 each.

Choose from more than 150 famous and not so famous radio personalities, from Fred Allen to Barton Yarborough. All prints are made from 4"x5" copy negs.

Send $1.25 (deductible from your first order) for a list and contact sheets of all pictures.

RADIO WEST

Box 598, HARBOR CITY, CA 90710

PUETT ELECTRONICS

PUBLISHERS OF P.O. BOX 28572 DALLAS TEXAS 75228

ANTIQUE RADIO TOPICS &
THE CLASSIC RADIO NEWSLETTER

NEW
VOLUME 2



ONLY
$2.95 POSTPAID
Ready Now!

READY FOR IMMEDIATE SHIPMENT!

VOLUMES 1 and 2 OF THE ANTIQUE RADIO RESTORATION HANDBOOK ARE ONLY $2.95 EACH IF YOUR ORDER IS RECEIVED BY 15 JAN. 1982. THE PRICE OF THESE BOOKS WILL BE $3.95 EACH IN OUR NEW 1982 CATALOG. ORDER TODAY & SAVE!

GET THIS WORLDS' GREATEST RADIO CATALOG

1982 CATALOG NO. 20

OUR NEW 1982 CATALOG NO. 20 WILL BE MUCH LARGER THAN ANY OTHER CATALOG WE HAVE PUBLISHED. PRICES OF MANY ITEMS WILL INCREASE DUE TO INFLATION, INCREASED PRICES WHICH WE PAY TO OUR SUPPLIERS AND INCREASED PRINTING COSTS. PLEASE DO NOT ORDER FROM AN OBSOLETE CATALOG OR PRICE LIST AFTER 1 JANUARY 1982.

THREE WAYS TO OBTAIN A COPY OF OUR 1982 NEW CATALOG NO. 20:

(1) SEND ONE DOLLAR AND YOU WILL BE ON OUR CATALOG MAILING LIST. (SHIPMENT 20 DECEMBER 1982).

(2) FREE! WITH ALL ORDERS WHICH AMOUNT TO $10.00 OR MORE RECEIVED BEFORE 1 JANUARY 1982.

(3) FREE! IF YOU RENEW YOUR SUBSCRIPTION FOR 1982 TO ANTIQUE RADIO TOPICS and THE CLASSIC RADIO NEWSLETTER.

TUBE SALE

ONLY $2.00 EACH - WHILE OUR OVER SUPPLY LASTS! THIS PRICE IS POSTPAID AND ALL TUBES BEAR PUETT ELECTRONICS SILVER GUARANTEE LABEL!

THIS OFFER WILL BE WITHDRAWN AFTER 15 JANUARY 1982.



1A6, 1A7, 1B5, 1C5, 1C6, 1D7, 1E7, 1F5, 1G6, 1H5, 1LB4, 1LC6, 1LN5, 1N5, 1P5, 1Q5, 1T5, 5U4, 6A6, 6AC5, 6AC7, 6AG7, 6B8, 6C5, 6C6, 6C8, 6D6, 6F8, 6G6, 6N7, 6P5, 6R7, 6SD7, 6SJ7, 6SN7, 6SR7, 6SS7, 6SU7, 6V6, 6Z4/84, 6X5, 6Y6, 6Z5, 6Z7, 6ZY5, 7A4, 7A5, 7A6, 7A7, 7E6, 7L7, 7Y4, 12A6, 12AH7, 12C8, 12F5, 12J7, 12K8, 12SC7, 12SF5, 12SF7, 12SL7, 12SR7, 14A4, 14H7, 31, 33, 34, 35Z3, 35Z4, 38, 39/44, 41, 44, 46, 56, 58, 76, 78, 84/6Z4, 89, 117Z6, 1622, 1626, 1629, 1852, 2051, 6188.



WE HAVE ONLY A CERTAIN NUMBER OF EACH TUBE TYPE WHICH WE CAN SELL AT THIS LOW PRICE. ORDER TODAY TO ENSURE DELIVERY!

NO OTHER SALES DISCOUNTS OR DISCOUNT CERTIFICATES WILL BE ACCEPTED SIMULTANEOUSLY WITH TUBES SOLD AT THIS SPECIAL PRICE; HOWEVER, ALL OTHER TUBE TYPES ARE OFFERED AT 20% OFF OUR REGULAR CATALOG PRICES FOR TUBES WHICH WE HAVE IN STOCK WHEN YOUR ORDER IS RECEIVED BEFORE 1 JANUARY 1982.

THE OLD RADIO PLACE ANNOUNCES AN EXPANDED CATALOG!

RADIO HISTORY & SERVICE LITERATURE

The Old Radio Place now has one of the most extensive catalogs of antique radio literature available anywhere, including the latest books from the Vestal Press, Vintage Radio, TAB Books, Sterling Publishers, and others. Unlike some firms, we ship your merchandise postpaid for all orders over $10, so the net cost to you is less! We also feature reprints of service literature such as the hard-to-find Volume I of Rider's Perpetual Trouble Shooter's Manual, selected information on Pilot, Grebe, Scott, and others.

TUBES

We have new and used tubes at reasonable prices, including some old-style round top type tubes in original factory cartons!

RADIOS AND PARTS

Our supplies of one-of-a-kind radios and parts changes constantly, and if you are not on our mailing list, you might miss that special item that you have been looking for.

A UNIQUE OFFER

The Old Radio Place has reprinted the complete set of 1926-27 Correspondance Course on Practical Radio booklets of the National Radio Institute. This 62 booklet set contains a wealth of hard to find information early radio technology and servicing--topics such as reflex and neutrodyne circuits and how they work, early television concepts, antennas, crystal radios, and much more. You may purchase individual booklets or the complete set. Because the response to this offer has been so great, we have been able to print in larger quantities and pass the savings on to you. Our price for the complete set is now $69.95 post-paid--$20 less than when we first announced this offer, but costs are rising and we may not be able to hold this low price indefinitely.

Send us your name and address and several first-class stamps and we'll keep sending you our catalogs until your stamps run out.

Satisfaction guaranteed or your money cheerfully refunded!

The Old Radio Place
616 Nelson Street
Rockville, Maryland 20850

Crosley 51-P 1924

UNLIKE most portable receivers, the case of the Portable 51—known as the Crosley 51-P—has ample room for a real power plant of batteries instead of a limited space for flashlight batteries, which have a short life, even on dry cell tubes. The Crosley 51-P has ample space for three full-sized, six-inch No. 6 dry cells to furnish the filament current for either UV-199



or WD-12 tubes, giving economical life and not necessitating frequent renewal of "A" battery. There is also room for three Eveready No. 764 vertical, intermediate 22½-volt "B" batteries, or the equivalent No. 5158 Burgess or No. 1153 French batteries, thus giving 67½ volts for the plates of the tubes, which means ample loud speaker volume under proper conditions. There is also room for a "C" battery, and provision is made for connecting in a "C" battery if desired. There is also room for one or two coils of insulated flexible wire to be used as an antenna and ground wire, as well as a compartment for head phones.

WANTED

SCOTT radio in Napier console (pictured), Scott FM tuner (10 tube), Scott FM converter (3 tube), Scott 26 tube communications receiver, any original Scott literature.

Zenith 25 tube Stratosphere.

These items are wanted for my personal collection, not for resale.

Steve Chapman, 419 Bird Lane, Waxahachie, Texas 75165. Tel. 214-937-2726 (home), or 214-937-2720 (office).

SUBSCRIPTION RATES

One year $7.00
Two years $12.00
First class $15.00

CLASSIFIED

AD RATE: 10 cents per word
20¢ per word for nonsubscribers
Photo ads: $5.00 extra
DEADLINE: 20th of the preceding month
List ads - 35 cents per line
AD SPACE:
Full page.....$65.00
Half page.....$35.00
Quarter page..$20.00
Multiple runs....20% discount

All back issues of THE HORN SPEAKER... 1975-1981 ... 75 cents each, postpaid.

Monthly except July and August

FOR SALE OR TRADE

****

FOR SALE: CATHEDRAL, BATTERY and AC RADIOS from 1920's and 1930's. Please send self addressed stamped envelope. J. Albert Warren, Box 279, Church St., Waverly, PA 18471.

****

FOR SALE: COMPLETE PLANS for building your own "A", "B", and "C" power supply. Send $4.50 to: G. B. Schneider, 6848 Com-

monwealth Blvd., Parma Hgts., OH 44130.
****
LARGE SASE FOR 7 PAGE LIST OF SETS, PARTS, BOOKS, MAGAZINES, TUBES. BOB, W6ME, 4178 CHASIN STREET, OCEANSIDE, CA 92056.
****
OLD RADIO BOOKS-- WE BUY AND SELL. NEXT 4 ISSUES OF OUR REGULAR SALES LISTS, JUST $1.00; NEXT 4 LISTS OF PRE 1900 ELECTRICITY AND TELEGRAPH BOOKS, $1.00; "RADIO BOOK COLLECTING NEWSLETTER", 4 ISSUES FOR $3.00; "RADIO DOCUMENT REPRODUCTIONS", 4 ISSUES FOR $3.00; "UNUSUAL RADIO HISTORY NEWSLETTER", 4 ISSUES FOR $3.00; 1922 MONTGOMERY-WARD WIRELESS CATALOG REPRODUCTION, JUST $3.00, 1920'S ATWATER KENT BREADBOARD PARTS CATALOG REPRODUCTION, $2.25. SAMPLE COPY -- ORIGINAL 1920'S RADIO BOYS, $5.00. MCMAHON'S "VINTAGE RADIO", $9.95; MCMAHON'S "FLICK OF THE SWITCH", $9.95; MCMAHON'S "RADIO COLLECTOR'S GUIDE", $9.95. A COMPLETE OLD AND RARE BOOK SERVICE FOR THE RADIO HOBBYIST OR PROFESSIONAL: RADIOGRAPHICS BOOKS, BOX 18492, CLEVELAND HEIGHTS, OHIO 44118, (216) 321-2472.
****
SEND LARGE 35 CENT S.A.S.E. for list of radio magazines, catalogs and literature to: Gary Schneider, 6848 Commonwealth Blvd., Parma Hgts., OH 44130.
****
TUBE COLLECTORS - FOR SALE WESTERN ELECTRIC 215-A RECEIVING TUBES. TYPE CW-38015. MADE FOR U. S. NAVY IN 1919. ORIGINAL UNUSED TUBES.. $15.00 EACH. PICTURE ON PAGE 174 OF "VINTAGE RADIO." STEVE TIBBS, 107 THOMPSON, IOWA FALLS, IA 50126.
****
(1) Radiola 18 in working condition.. $50. Optional speaker cabinet for above $25. (pickup only). (2) Radiola 60 with RCA 100 speaker, excellent $85. (3) AK 20 small box untested.. $55. (4) AK 42 with AK E speaker, untested.. $55. (5) AK E2 speaker, excellent.. $30. (6) Sctt SLRM marine radio working.. $110. (7) Stromberg Carlson 300, excellent but untested.. $50. (8) FE'Dstern-McCusker Electron VIII, rare Philadelphia set, untested.. $100. (9) Beckley Ralston battery set, good looking, slant front, rare set, untested.. $85. (10) Federal Orthosonic type H, excellent condition.. $70. (11) Isofarad, early 5 tube, large, well made.. $80. (12) Splitdorf R-692, nice set.. $65. (13) Thcrola 5 tube, TRF with Thcrola horn, pretty combination.. $115. (14) Chelsea Radio Co., Magnet ZR-30, early 3 tube, some veneer repair needed.. $65. (15) Sparton AC 62, Kellogg tube early AC set with rare tubes.. $115. (16) Sparton AC 63, rare Kellogg 401 tube set with tubes.. $115. (17) Kellogg RFL chassis with rare Kellogg tubes.. $105. (18) King electric set, interesting tube arrangement, excellent.. $75. (19) Zenith Transoceanic (late 40's - early 50's), good conditioin.. $45. (20) Zenith Wavemagnet AC-DC portables (early 1940's).. $25. (21) Vitalitone Mayflower speaker, beautiful.. $65. (22) Operadio speaker.. $ (23) SAAL horn, excellent.. $45. (24) Pausin octagonal metal speaker.. $35. (25) Pilot 3" TV, complete but untested.. $165. (26) French cathedral speaker.. $45. (27) Raytheon, RCA and Motorola 7" TVs.. $45.00 each. All items untested unless otherwise stated, AC sets with tubes, battery sets without tubes. All items plus shipping. Include SASE in case already sold. Send $1.00 for picture per item. Mel Rosenthal, 507 S. Maryland AVe., Wilmington, DE 19804.
****

MARCONI WIRELESS STOCK CERTIFICATES, 1913 MINT CONDITION, AUTHENTIC, SHOWS MARCONI WIRELESS STATION, BEAUTIFUL ARTWORK. $25.00 EACH. PPD., JAMES KREUZER, 257 HASTINGS, BUFFALO, NY 14215. PHONE NO. (716) 835-9756.
****
18" MAGNAVOX HORN SPEAKER, Acme double cone speaker, Bristol one tube amplifier, 18" Magnavox bell, SASE, F.A. PAUL, 1545 Raymond, Glendale, CA 91201.
****
LORD CALVERT 4 TUBE BOTTLE RADIO, MUSIC MASTER CABINET HORN SPEAKER, 18" MAGNAVOX HORN SPEAKER, "KING" AMPLITONE HORN SPEAKER, AK HORNS, AK MODEL 246 CATHEDRAL, OTHERS, SASE, W6THU, 1545 RAYMOND, GLENDALE, CA 91201.
****
SOME CATHEDRAL RADIOS, RIDERS VOL. 1, 2, 3. MUCH SERVICING LITERATURE INCLUDING AK CROSLEY, ETC. SEND S.A.S.E. FOR LIST. VINNY SHEA, 6 ROCKY RIDGE ROAD, EASTON, CT 06612. THANK YOU.
****
CATHEDRALS Philco 37-61 works.. $60. Airline - nice 24's.. $60. Silvertone 24's.. $45. Philco 84B 1936 nice (FOS-119).. $50. GE K60 (FOS89).. $100. Pierce Airo DC set w/power supply (refin).. $50.

TOMBSTONES Majestics 1933 Art Deco (chrome front).. $60. Grunow 7-A chrome grille, works.. $65. Majestic Century 463.. $50. G.E. S-22 works.. $75. MIDGETS.... Zenith 5R317 w/glass- rods.. $65. Champion white plastic AC/DC has a loop.. $20. Emerson model 20-A AC/DC brown bakelite.. $20. GE-54 red bakelite.. $20. Philco 52 nice, works.. $40. EARLY AC ca 1928.... Polle Royal AC set, like Radiola 17, works.. $40.
BATTERY SETS Thermiodyne TF-6 ..$75. FADA regen kit set w/tubes.. $65. Kerman 5 (Boston) regen w/tubes.. $35. Cockaday kit - nice.. $50. Freed Eisemann NR5, w/tubes, audio open.. $75. Mastertone 5 slant front, 1 coil bad.. $25. Federal 61 cabinet and panel.. $75. RCA 31-P chassis, speaker, some tubes.. $15. AK 20-C (brass shells) open audio.. $50.
XTAL Peerless - with phones.. $50.
SPEAKERS Thorola, bakelite horn, also mod 4 fiber horn.. $65. Dictogrand- upright.. $50. Brandes cathedral.. $15.
MISC- Nice early ammeter in box.. $25. Zenith 765 console, exc. works.. $75. Stromberg Carlson mod 255-L exc, works,, 13 tubes.. $125. Philco decals are still available.
MAGAZINES QST- Dec. 21 no corners, 5 pages missing.. $2. April 23.. $5. Oct. 23.. $5. Nov. 23.. $5. Oct. 24.. $3.50. July 25.. $3.50. July 25.. $3.50. Oct. 26.. $3.50. Feb. 29.. $2. RADIO NEWS April 23.. $5. June 26 no fr cov.. $2.50. Oct. 26.. $4. Nov. 29.. $2.50. May 32.. $1.75. Nov. 34.. $2.50. RADIO RETAILING June.. $3. Oct. 34.. $3. Nov.. $3. Dec.. $2.75. SHIPPING EXTRA, Richard Foster, 12 Shawmut Ave., Cochituate, MA 01778 CALLS- (617) 655-2056 6-9 p.m. EST only.
****
FOR SALE: AN INVESTMENT YOU CAN ENJOY. ANTIQUE RADIO COLLECTION. Mostly battery sets of the 1920's. About 100 sets for sale as a unit. For list and price send SASE and 2 loose 20 cent stamps to "Radio K8BCT" P.O. Box 36, Holt, MI 48842.
****
AK 35 (LESS TUBES) - $40, PHILCO 37-34. Tombstone (6-Volt farm radio)- good condition and working- $40, chassis and speaker (less tubes) for Majestic 7 (model 70) fair- $10., Gary Hill, 1507 Ridge Ave., New Castle, PA 16101. (412) 654-9335).
****

****
CROSLEY, FEDERAL, GREBE, AND OTHER BATTERY and AC RADIOS. SEND SASE FOR LIST. P. O. BOX 560, FLORA, IL 62839.
****
FOR SALE: 1920'S AND '30'S RADIOS, LOTS OF CATHEDRALS AND BATTERY SETS. Also wanted Grebe radios. Jerry Finamore, RD no. 2, box 623, New Castle, PA 16101 or call (412) 656-0338. SEND LARGE SASE FOR PICTURED LIST
****
FARRAND (cone speaker- working).. $20. SONOCHORD (cone speaker with cloth front- exc-working).. $40. BRANDES horn speaker (v.g. working).. $40. WARWICK (mid- 30's AC- DC good, not working).. $15. AK 42 (exc-not working).. $50. AK 44 (exc-untested).. $55. PHILCO 90 chassis (untested).. $25. RADIOLA 44 (not working, exc.).. $55. RADIO NEWS, RADIO CRAFT, etc. SEND SASE ANY TIME FOR MOST UP- TO- DATE LIST AND LET ME KNOW WHAT YOU'RE LOOKING FOR AND I'LL PUT YOU ON MY "LIST OF WANT LISTS" RON BOUCHER, 376 Cilley Road, Manchester, NH 03103. (603) 669-1698.
****
"8 X 10" GLOSSY PHOTOS OF OVER 150 RADIO STARS and personalities, $3.00 each. Send $1.25 (deductible from your first order) for a list and conatact sheets of all pictures. RADIO WEST, Box 598, Harbor City, CA 90710
****
CROSLEY RFL 75 ... $115.00 (2) MAGNAVOX R3 HORN... $90.00 (3) MAGNAVOX TRF 5 RADIO... $55.00 (4) RCA RA (no box) ... $50.00 (5) HOWE CRYSTAL SET ... $80.00 (6) RADIOLA 28 WITH ANTENNA ... $120.00 (7) MAGNAVOX R3 HORN TOP ... $25.00 (8) DAVEN AMP. (SLIGHTLY DAMAGED) ... $60.00 (9) RCA 107 SPEAKER ... $75.00 (10) VALLEY TONE RADIO .... $75.00 ---- SASE FOR INFORMATION. ANTHONY CASERTA, 47 VISTA LANE, LEVITTOWN, NY 11756. (516) 731-7175.
****
IRREPLACEABLE AUDIO TRANSFORMERS REWOUND; $12.50 PLUS POSTAGE. RICHARD RAY, 423 ORCHARD, CANON CITY, CO 81212 PHONE (303) 275-8280.
****
CLOTH COVERED WIRE: AC line cord in silky brown or gold color: 26 cents / foot. Brown, woven, Radiola loop an- tenna wire: 500' spool $38. RADIOLA/ UNIVERSAL AUDIO INTERSTAGE TRANSFORMER for Radiola III, IIIA, 20, balanced amplifier, etc. Custom made to fit inside your old transform- er's shell. $8.75 each. Please. BEFORE you order, send SASE for more information, quanity discounts, FREE wire samples and shipping charges. Robert Goodman, 7943 Ponce, Canoga Park, CA 91304.
****
PHILCO 60 CATHEDRAL RESTORED... $75... PHILCO 37-620 RESTORED EXC... $60. PHILCO 38-35 RESTORED... $45. AERIOLA SENIOR RESTORED EXC... $125. AERIOLA JUNIOR W/BRANDES PHONES RESTORED... $165. RADIOLA RS (RARE) RESTORED... $185. RADIOLA III RESTORED EXC... $65. RADIOLA III W/99s VERY GOOD... $70 RCA VICTOR SERVICE DATA VOLII... $20. RCA VICTOR SERVICE NOTES 1935... $15. RIDER 1931 MANUAL (VOLUME I)... $35. RIDER ABRIDGED VOLUMES I - V... $35. RIDER PUBLIC ADDRESS VOL.I... $10 WIRELESS STATIONS OF THE WORLD U.S. GOV'T PRINT 1910... $20. MERCHANT SHIPS OF U.S. 1915... $10. SHIPPING COSTS AND INSURANCE TO BE PAID BY PURCHASER. FOR LIST OF MORE RADIOS, TUBES, MANUALS, ETC. SEND SASE TO: BOB HUSTED, 280 E. BOCA RATON ROAD, BOCA RATON, FL 33432. (305) 391-5171.
****
MOST OFTEN NEEDED CIRCUIT BOOKS - 1926-38, 1939, 1940, 1941, 1942, 1948, $6.00 each postpaid, tubes such as type 24A, type 27, used, at $1.00 each. Rick Weibezahl, 305 Belvidere Ave., Washington, NJ 07882.
****
FOR SALE: 1924 SUPER ZENITH BATTERY SET. Cabinet and radio in excellent condition. Write or call: Russell Schoen, R# 1, Clintonville, WI 54924. Phone (715) 823-6744.
****
1931-7 PHILCO AUTO RADIO SERVICE MANUAL (109 pp).. $10. 1942 Philco home- auto radios (230 pp)... $8. RIDERS, VOLS. 7 to 15... $13 to $21. RIDER INDICES 11 ($4), 1 TO 6 ($6), 1 TO 7 ($8) and 1 to 10 ($12). Television, How it Works by RIDER, 1948 (203 pp)... $12. RIDER VOL. I TV INDEX... $4.50. NEW.. 4-uf at 600V oil capacitors with old style screw base (approx. size 1 1/4" X 4")... $2.75. All items: Postage extra, SASE for reply. Maury Zivitz; 11503 Atwell Drive; Houston, TX 77035; (713) 723-4254.
****
AUTHENTIC REPLICAS FOR ALL RADIOS. Dials, knobs, push buttons, escutcheons, hoods for 17 and 18, dial belt pulleys, Zenith dial cord pulleys, gears and brackets and pointers for 1R, 3R and 4R. Many AK breadboard parts and other models. Write for FLYER, SASE. K. Parry, 17557 Horace Street, Granada Hills, CA 91344.
****
SASE MEANS SELF ADDRESSED STAMPED ENVELOPE. NOS MEANS NEW OLD STOCK.
****

Wanted



PLEASE HELP. I LOVE MIRRORED GLASS RADIOS. IF YOU HAVE ONE OR KNOW WHERE THERE IS ONE, PLEASE LET ME KNOW. I'M ALSO INTERESTED IN ANY "WILD LOOKING" RADIOS FROM THE 1930'S LIKE COLORED CELLULOID RADIOS (FADA, EMERSON, ETC.) AND CHROME RADIOS. BARBARA GORTON, BOX 1252, DAYTON, OH 45401. (513) 253-5073.

WANTED: EARLY CEILING OR TABLE FANS. ESPECIALLY ODD OR UNUSUAL TYPES. RICHARD CANE, 8391 N.W. 21st ST., SUNRISE, FL 33322.

CASH FOR DECEMBER 1915 TO DECEMBER 1921 QST'S FOR PERSONAL COLLECTION. KEN MILLER, K6IR; 16904 GEORGE WASHINGTON; ROCKVILLE, MARYLAND 20853. (301) 774-7709.

WANTED: SCOTT PHILHARMONIC. Prefer Napier console. Dick Howe, 9318 Wickford, Houston, TX 77024 or call (713) 680-9945 collect.

WANTED: SCOTT PHILHARMONIC - SPECIAL COMMUNICATIONS RECEIVER - PHANTOM DELUXE. Also early All- Wave series in original cabinets. Zenith Stratosphere also wanted Highest cash price paid for any of these sets. Also have rare Federal 161 for trade. Dave Pierson, 635 E. Buchtel, Akron, OH 44304. (216) 762-5978.

WANTED: INDIVIDUAL RADIO REPAIR AND SERVICE MANUALS FROM 1930 TO 1950 FOR G.E., PHILCO, ZENITH, AIRLINE, CROSLEY, SILVERTONE, STEWART WARNER, EMERSON, AND R.C.A. INTERESTED IN ANY QUANITY. SEND PRICES. CHARLES TEAGUE, 330 SEMINOLE, BOULDER,

OLDE TYME RADIO COMPANY
ANTIQUE TUBES AND PARTS

* SPECIAL - GENERAL SERVICE HEADPHONES $3.00 each or 2 pair for $5.00
* MERIT POWER XFMRS -- 300-0-300 V 90 MA. 5V AT 3 A, 6.3 V AT 3.5 A -- $15.00 EACH
* CRYSTAL SET ITEMS -- galena xtals ..$1.45 each -- cats whiskers (package of 2) ..$1.10 -- crystal detector .. $3.35 each ass'y with xtal -- Headphone replacement cords Brandes and baldwin types ..$4.25 each -- Olde tyme speaker replacement cords (above cords are 5 ft.) ..$3.00 each -- Headphone replacement pin jack tips .. 5 for $1.00 or 25 cents each
* INTERSTAGE AUDIOS --Stancor A53C (new) ..$7.00 each -- mil spec 2:1 good for Radiola III and IIIA (used) ...$2.50 each
* RF, OSC, ANT COILS (new) ..$2.00 each
* IF TRANSFORMERS (new) ..$2.00 each (higher for special units-- write)
* CAN'T PROVIDE WD-11s but we can provide WD-11s made with 864 in WD-11 base. Works better than WD-11 -- $15.00 each or 2 for $25.00
* DIAL LAMPS -- many types, state your needs..25 cents each.
* NEED NAME PLATE OR ESCUTCHEON SCREWS? WE HAVE THEM. guage-0, 1/4" -- guage-0, 3/8" guage-1, 1/4" -- guage-1, 3/8" -- guage-2, 1/4" -- guage-2, 3/8" ... any 10 for 50 cents.
* OLDE TYME RADIO TUBES tubes from the 20s, 30s, 40s, 50s, and 60s -- used and new -- write for quote.
* EXACT REPLACEMENT RADIOLA II OR VIII LEATHER HANDLES ONLY .. $4.25 each.
* SCHEMATIC FOR SETS MANUFACTURED FROM 1920 THRU 1940 .. $1.50 each.
* OLDE TYME BAKELITE BINDING POSTS -- singles .. 50 cents each or 3 for $1.00 -- triples $1.00 each or 3 for $2.50.
* RESISTOR LINE CORD REPLACEMENT KITS: 4-tube .. $3.50 -- 5-tube .. $4.50.
* IF YOU DON'T SEE IT, ASK
* OLDE TYME BATTERY CABLE - all cloth AK style -- 5-conductor .. .75/ft. -- 6-conductor .. 1.00/ft. -- brown silk type power cord .. .30/ft. -- single conductor hookup wire (cloth) .. .12/ft.
* OLDE TYME AC PLUGS .. $1.10 each or 3/$2.9
* 60 uf 250 V ELECTROLYTIC CAPACITORS axial leads 50 cents or 3 for $1.00.
* 10- 10 uf/450 V caps -- $1.00 each or 12 for $1.00
* TUBES SPECIAL -- 6F8, 38, 6C4 - all new in original boxes .. 50 cents each or 3 for $1.00
* OUR SHIPPING POLICY -- Please send sufficient funds to cover shipping costs. Overages if under $1.00 will be credited to future orders - or refunded if requested. Overage over $1.00 will be returned with your order when it is shipped.

1981 OLDE TYME RADIO WINTER SPECIALS
OLDE TYME RADIO -- 2445 Lyttonsville Road, Silver Spring, Maryland, 20910
(301) 585-8776

CO 80303.

WANTED: SMALL SIZE COMMUNICATION TYPE SETS. (no junk). Please write and tell me what you have and the price. William Hemrick, Route 1, Terra Alta, WV 26764.

WANTED: CAR RADIO VIBRATORS, NEW, CASH PAID. SIGNAL SEEK AUTO RADIOS; FORD CHEVROLET, ETC. MARVIN ROTH, 14500 LABELLE, OAK PARK, MI 48237. PHONE (313) 399-5993.

WANTED: AK 80 CATHEDRAL, Charles Green, 1303 W. 42nd scuth, No. 3, Wichita, KS 67217 (316) 524-7306.

I PAY MORE FOR MIRRORED GLASS RADIOS (BLUE, PEACH). BOB, (305) 628-8755. P. O. BOX 312, WINTER PARK, FLORIDA 32790.

WANTED: ANY TYPE OF PART FOR BATTERY CROSLEY OR PILOT RADIOS, AUDIOS, DIALS, TUBE SOCKETS, KNOBS, RHEOSTATS, CONDENSERS, ETC. ESPECIALLY NEED IMMEDIATELY DIAL POINTER FOR CROSLEY MOD. 5SSD. BOB, W6ME, 4178 CHASINSTREET, OCEANSIDE, CA 92056.

PHILCO CATHEDRALS models 144, 118, 16, 18, 21, 44 in restorable or good shape also Philco 14 or 91 chassis working or with good coils. Also Atwater Kent models 228, 567, 92, 90 and others. Gerard Thuring, 150 Highland Cross, Rutherford, NJ 07070 Phone (201) 935-0047.

WANTED: 1940 R.C.A. RADIO-PHONOGRAPH no. V-201; 1920's VICTOR RADIOLA - ELECTROLA # 9-55, 10-70; 1930' BRUNSWICK AUTOMATIC PANATROPE # 42; 1930's STROMBERG CARLSON RADIO-PHONO # 14, # 654; 1930's R.C.A. RADIOLA # 47 WITH PHONO.; 1930's R.C.A. # RE-40, RE-18, CE-29, RE-19, RE-20, REA-26, RE-73, REA-59, RADIOLA 86; ALSO COLUMBIA- KOLSTER, and others from 1920's and 1930's. DAVID GALANEK, 111 EASTWOOD RD., BRIDGEPORT, CT 06606.

CABINET OR CABINET PARTS FOR Freed Eisemann NR-45, Front panel for David Grimes 3XP, Lid for Crosley Showbox, stand for Crosley Dynacone speaker, base and driver for DeForest LS300 horn; Gary hill, 1507 Ridge Avenue, New Castle, PA 16101.

WANTED- CROSLEY CONSOLE MODEL 124. Need chassis and speaker - you keep the cabinet - for grandfather clock. (206) 783-6151. Art Corbus, 5704 11th Avenue N.W., Seattle, WA 98107

PARAGON DA-2, PARAGON 10-R, RB2, AK breadboard parts- potentiometer, brown 3 tube TA unit, brown variable condenser with 2 holes in back of can. Also want green model 10, model 9, model 5. Will buy trade tubes or ? Rick Weibezahl, 305 Belvidere Avenue, Washington, NJ 07882.

WANTED: AK 9 AND RADIOLA IV in reasonably good condition. David Moore, 3213 Regal Oaks, Pearland, TX 77581. (713) 485-1705.

WANTED: T.V. GUIDES. ESPECIALLY PRE-1970. ALSO WANT ALL TYPES OF OCEAN LINER MEMORABILIA. DESCRIBE AND PRICE. RICHARD HEBERT, BOX 603, AUBURN, NY 13021.

WANTED: CROSLEY 51 AND 52 SPECIAL, EMERSON POCKET 508, TELE-TONE 7" TV. CONE SPEAKERS: GREBE "20-20", BOSCH "LIBRARY AMATONE", UTAH MEISTERSINGER, PATHE; ALSO FOR CROSLEY BANDBOX. OTHER SPEAKERS: NEW TIMMONS, VOCA-LOUD, RADIOLUX AMPLION, JUNIOR DELUXE. D'ARCY BROWNRIGG, CHELSEA, QUEBEC, J0X 1N0, CANADA.

PUETT ELECTRONICS

PUBLISHERS OF

P.O. BOX 28572 DALLAS TEXAS 75228

ANTIQUE RADIO TOPICS & THE CLASSIC RADIO NEWSLETTER

LIST N/19

HOW TO ORDER - (1) MAKE ALL CHECKS OR MONEY ORDERS PAYABLE TO PUETT ELECTRONICS. ALL PAYMENTS MUST BE IN U.S. FUNDS AND NEGOTIABLE WITHOUT PAYMENT OF A BANK COLLECTION FEE. MONEY ORDERS ISSUED BY POST OFFICES IN CERTAIN COUNTRIES (CANADA FOR EXAMPLE) ARE ACCEPTABLE IF THEY CAN BE CASHED IN A U.S. POST OFFICE.

(2) ALL ORDERS ARE POSTPAID AND INSURED. THE PRICE OF ALL ITEMS INCLUDES POSTAGE AND INSURANCE CHARGES. SEE ORDER BLANK ON OTHER SIDE.

(3) TEXAS RESIDENTS ADD 5% STATE SALES TAX. --- (4) YOU CAN USE YOUR MASTER CARD OR VISA TO CHARGE YOUR PURCHASES. VISA CUSTOMERS SEND YOUR ACCOUNT NUMBER AND EXPIRATION DATE. MASTER CARD CUSTOMERS SEND YOUR ACCOUNT NUMBER, INTER BANK NUMBER AND EXPIRATION DATE.

YOU MAY CALL J.W.F. PUETT AT HIS RESIDENCE BETWEEN THE HOURS OF 9:00 AM and 10:00 PM CENTRAL STANDARD OR CENTRAL STANDARD DAYLIGHT TIME FOR FREE TECHNICAL CONSULTATION - (214) 327-8721 or 321-0927.

MasterCard VISA

ANTIQUE RADIO TUBES

ALL TUBES ARE GUARANTEED - SEE TERMS OF GUARANTEE STATED IN OUR CATALOG.

0A2	$3	1H4	$6	2A4	$8	6A5	$6	6B6	$6	6J8	$6	6SR7	$5	7B5	$6	12AH7	$5	12SN7	$4
0A3	$3	1H5	$6	2A5	$7	6A6	$5	6B7	$7	6K5	$5	6ST7	$5	7B6	$6	12AT6	$4	12SQ7	$5
0A4	$3	1H6	$6	2A6	$7	6A7	$9	6B8	$7	6K6	$5	6ST7	$5	7B7	$7	12AT7	$4	12SR7	$5
0B3	$4	1J5	$6	2A7	$6	6A8	$7	6BA6	$3	6K7	$6	6SU7	$5	7B8	$6	12AU6	$3	12SW7	$5
0C3	$4	1J6	$6	2B7	$6	6AB4	$4	6BE6	$4	6K8	$6	6SU7	$5	7C5	$5	12AU7	$3	12V6	$4
0D3	$4	1L4	$6	2E5	$10	6AB5	$10	6BJ6	$4	6L5	$6	6S27	$5	7C6	$6	12AV6	$4	12Z3	$4
0V4	$4	1L6	$12	2W3	$4	6AB7	$6	6C4	$4	6L6	$5	6T7	$6	7C7	$6	12AX7	$4	14A4	$6
0Z4	$5	1LA4	$7	2X2	$5	6AC5	$4	6C5	$4	6L7	$6	6T8	$5	7E6	$6	12AY7	$4	14A5	$6
1A3	$6	1LA6	$6	3A4	$5	6AC7	$4	6C6	$7	6N5	$12	6U5	$12	7E7	$6	12BT	$6	14A7	$6
1A4	$6	1LB4	$7	3A5	$5	6AD5	$7	6C7	$7	6N6	$6	6U6	$4	7F7	$12	12BZ6	$4	14AF7	$6
1A5	$5	1LC5	$6	3A8	$6	6AD6	$9	6C8	$6	6N7	$6	6U7	$7	7F8	$9	12BA6	$4	14B5	$6
1A6	$5	1LC6	$6	3B5	$5	6AD7	$4	6CB6	$3	6P5	$5	6V6	$5	7G7	$7	12BE6	$4	14B6	$6
1A7	$4	1LD5	$6	3B7	$5	6AE5	$5	6D4	$5	6P7	$6	6W4	$5	7H7	$6	12C5	$5	14B8	$6
1B4	$6	1LE3	$6	3C6	$6	6AE6	$6	6D6	$7	6Q7	$6	6W6	$4	7J7	$7	12C8	$6	14C5	$5
1B5	$6	1LF3	$6	3LF4	$6	6AE7	$6	6D7	$7	6R7	$6	6X4	$4	7K7	$8	12F5	$5	14C7	$6
1B7	$6	1LG5	$6	3Q4	$5	6AF5	$6	6D8	$7	6S4	$5	6X5	$4	7L7	$7	12H6	$6	14E6	$6
1C5	$4	1LH4	$6	3Q5	$5	6AF6	$9	6E5	$12	6S7	$6	6Y6	$5	7N7	$10	12J5	$6	14E7	$6
1C6	$5	1LN5	$6	3S4	$4	6AG5	$4	6E6	$5	6S8	$7	6Z4	$6	7Q7	$6	12J7	$5	14F7	$7
1C7	$6	1N5	$6	3V4	$5	6AG7	$5	6E7	$7	6SA7	$5	6Z5	$6	7R7	$6	12K7	$6	14F8	$8
1D5	$6	1N6	$6	5AZ4	$8	6AH5	$5	6E8	$7	6SB7	$6	6Z7	$6	7S7	$7	12K8	$6	14H7	$6
1D7	$6	1P5	$5	5R4	$5	6AH7	$5	6F5	$6	6SC7	$6	6ZY5	$6	7V7	$6	12L6	$4	14J7	$7
1D8	$6	1Q5	$5	5T4	$5	6AK5	$3	6F6	$6	6SD7	$5	7A4	$6	7W7	$6	12Q7	$6	14N7	$6
1E4	$5	1R4	$6	5U4	$4	6AL5	$4	6F7	$7	6SE7	$5	7A5	$5	7X6	$7	12SA7	$5	14Q7	$6
1E5	$6	1R5	$3	5V4	$5	6AL7	$9	6F8	$5	6SF5	$5	7A6	$6	7X7	$7	12SB7	$6	14R7	$6
1E7	$6	1S4	$4	5W4	$5	6AQ5	$4	6G5	$12	6SF7	$6	7A7	$6	7Y4	$6	12SC7	$6	14W7	$6
1F4	$6	1S5	$4	5X4	$5	6AQ7	$5	6G6	$5	6SG7	$6	7A8	$6	7Z4	$6	12SF5	$5	14X7	$7
1F5	$6	1T4	$5	5Y3	$4	6AT6	$4	6H4	$5	6SH7	$5	7AD7	$6	10	$6	12SF7	$5	15	$9
1F6	$6	1T5	$5	5Y4	$5	6AT8	$3	6H6	$3	6S37	$5	7AE7	$6	12	$8	12SG7	$6	19	$7
1F7	$6	1U4	$5	523	$5	6AU6	$3	6J4	$5	6SK7	$5	7AF7	$8	12A5	$6	12SH7	$5	19T8	$3
1G4	$6	1U5	$5	524	$5	6AV6	$4	6J5	$6	6SL7	$5	7AG7	$6	12A6	$6	12S17	$5	20	$9
1G5	$6	1V	$6	6A3	$6	6B4	$6	6J6	$3	6SN7	$3	7AH7	$6	12AT	$7	12SK7	$5	25	$8
1G6	$6	2A3	$10	6A4	$7	6B5	$7	6J7	$6	6SQ7	$5	7B4	$6	12A8	$6	12SL7	$5	24A	$7

35	$8	59	$9	1201	$6	35A5	$6	35B5	$5	50A6	$6	117M7	$9	VR105	$4
37	$6	70A7	$3	1203	$6	35C5	$4	35C5	$4	50B5	$4	117N7	$8	VR150	$4
38	$6	70L7	$8	1231	$6	35L6	$5	50Y6	$6	50C5	$5	117P7	$8	VT-52	$7
40	$9	71A	$9	1232	$7	35W4	$5	50Y7	$6	50C6	$7	117Z3	$6	FM1000	$9
75	$6	76	$5	1274	$6	35Z3	$6	5Y3	$4	50L6	$5	117Z6	$6	XXB	$6
77	$7	77	$7	1287	$6	35Z4	$6	5Y4	$5	50X6	$6	117Z6	$6	XXD	$6
78	$8	80	$5	1291	$6	35Z5	$5	5Z3	$6	50Y6	$6	485	$7	XXL	$6
79	$6	85	$6	1294	$6	36	$8	5Z4	$5	50Y7	$6	711A	$9	XXFM	$7
82	$7	84	$6	1853	$6	37	$6	6A7	$3	51	$7	879	$5		
83	$7	85	$6	5881	$7	38	$6	6A8	$5	53	$15	884	$8		
83V	$7	89	$6	6146	$7	41	$6	6B8	$8	55	$8	950	$8		
84	$6	117L7	$9	9001	$5	42	$6	6F8	$8	56	$6	953	$8		
85	$6	117M7	$9	9002	$5	43	$7	6K8	$7	57	$7	955	$7		
89	$6	117N7	$8	9003	$5	45	$10	6L7	$6	58	$8	958	$7		
90	$7	117P7	$8	9006	$6	45Z3	$5	6N7	$6						
91	$7	117Z3	$6	VR75	$4	45Z5	$5	6Q7	$6						
99	$7	117Z6	$6	VR90	$4	46	$6	6S7	$6						

BOOKS, BOOKLETS & LITERATURE

A COMPLETE DESCRIPTION OF ALL LITERATURE IS CONTAINED IN OUR CATALOG.

ANTIQUE RADIO BOOKLETS: $2. each; 3 for $5.; 4 for $6.; all 5 for $7.
(1) The Acquisition of Antique Radios by J.W.F. Puett
(2) The Complete Restoration of Battery Powered Antique Radios by J.W.F.P.
(3) The Complete Restoration of AC Powered Antique Radios by J.W.F.P.
(4) When Was That Old Tube Made? by James R. Wilkins
(5) Antique Radio Tube Substitution by J.W.F. Puett

THE ENCYCLOPEDIA OF ANTIQUE RADIO by J.W.F. Puett
Photos and data on wireless, crystal, battery, & AC sets and much more! Volumes 1, 2 & 3 - $5.95 each with current price guides.

THE APPRAISAL OF ANTIQUE RADIOS by J.W.F. Puett - $4.95
Current values plus factors which contribute to antique radio value.

THE PUETT ELECTRONICS SUPER ANTENNA - GROUND SYSTEM PLANS $2.00

THE DIRECTORY OF ANTIQUE RADIO SERVICES - $3.00
Hundreds of sources throughout the U.S.A. and in other countries!

SILVER GHOSTS by J.W.F. Puett - $7.95
Photos & schematics of nearly every set manufactured by E.H. Scott!

THE CLASSIC RADIO COLLECTORS HANDBOOK - $6.95
A fantastic compilation of data on The E.H. Scott Radio Laboratories and Hallicrafters, Inc. Identification of sets, consolets, etc.

THE SCOTT NEWS - April 1936 - photo offset reprint - $2.00
Details and photo of the world's largest radio - 48 tubes! Three known to have been manufactured at $5,000.00 each.

CROSS REFERENCE LIST OF MILITARY-TYPE TUBES VS. COMMERCIAL TYPES - $1.

ATWATER KENT BREADBOARD NO. 8 -- RAREST OF ALL AK BREADBOARDS - PHOTOS AND DESCRIPTION FROM ORIGINAL CATALOG A.R.T. VIOLINS - $1.00 postpaid!

SCHEMATIC DIAGRAMS

WE CAN FURNISH A SCHEMATIC FOR NEARLY ANY RADIO RECEIVER! Send name of manufacturer and model number (not serial number) - $1.50 postpaid. Without the name of the mfg. or model number, we will search our files for a $5.00 fee (refunded if we can not locate the desired schematic). To search, we must have a sketch of the top of the chassis showing type numbers and location of all tubes and the location of the front panel controls and dial.

APPRAISAL

WE OFFER THOROUGHLY DOCUMENTED APPRAISALS FOR INSURANCE PURPOSES. Send one first class postage stamp for details.

OLD TIME RADIO PROGRAMS ON CASSETTES -- AMOS & ANDY - FIBBER McGEE & MOLLY - SUSPENSE --- Our complete list of hundreds of radio shows is contained in Catalog No. 19, or you can obtain a complete list for one first class postage stamp. Each cassette contains two half-hour programs on one hour-long program. Cassettes are $7.95 each postpaid. Purchase ten and get one free! YOU CAN PURCHASE OUR SPECIAL PRE-RECORDED PACKAGE OF SIX CASSETTES (regularly $45.50) for only $12.00 postpaid. This package contains Amos & Andy, Fibber McGee & Molly, Charlie McCarthy, Suspense, Inner Sanctum, I Love A Mystery - Highlights from Temple of The Vampires - these programs are specially selected by J.W.F. Puett.

ANTIQUE RADIO TOPICS & THE CLASSIC RADIO NEWSLETTER

THREE PERIODICALS IN ONE! --- Antique Radio Topics, The Classic Radio Newsletter and The Antique Radio New Acquisitions List.

Send four first class mail stamps for a sample issue. ART is published ten times per year. The subscription rate is $10.00. Since all subscribers renew in January of each year, if you initiate your subscription after January, please let us know if you wish to receive the back issues or if you wish to only receive the remaining issues for the year. We will refund any excess subscription fee. Classified ads are free! When PUETT ELECTRONICS has rare tubes to sell (WD-11, 99, 01A, etc.), our subscribers have the first opportunity to purchase these through The Antique Radio New Acquisitions List which is sent to subscribers one week before it is made available to other customers. Antique Radio Topics covers subjects of general interest within the hobby. The Classic Radio Newsletter covers classic receivers manufactured by the E.H. Scott Radio Laboratories and Hallicrafters, Inc. Other manufacturers of the world's finest radios are also included.

DON'T MISS A SINGLE ISSUE!

SUBSCRIBE TODAY!

NEW! JUST OUT!! ANTIQUE RADIO CATALOG

CATALOG NO. 19 IS THE LARGEST CATALOG WE HAVE PUBLISHED! ONLY $1.00 postpaid

COMPLETE DETAILS ON EVERYTHING WE OFFER PLUS COMPONENTS FOR RESTORATION

Capacitors, resistors, interstage trans formers, dial lamps, and much more!

DECEMBER

THE HORN SPEAKER

1981

LEE A DAVIS
**5128
20102 NO. TAPPS HWY.
SUMNER *73*
WA -98390